
## **Control Panel Mounts**

- Installed behind control panel switch
- Ideal for high strain areas where cable is routed from panel to panel door
- Compatible with most control panel switch designs
- Indoor use only








	Used with	Length A		Width B		Height C			Mounting	Std. Pkg.	Std. Ctn.
Part Number	Cable Ties‡	ln.	mm	ln.	mm	ln.	mm	Material	Method	Qty.	Qty.
CPM87S-C	M, I, S	2.01	51.1	0.89	22.6	0.17	4.3	7:na mlata di ata al	Control panel switch	100	1000
CPM122S-C		2.82	71.7	1.22	31.0	0.17	4.3	Zinc plated steel			

‡Cable tie cross section sizes: M = Miniature, I = Intermediate, and S = Standard.

## Pan-Post™ Standoff

- Supports cable bundles above or away from surface
- For indoor use only





<ul> <li>Material: Nylon 6.</li> </ul>
--

	Used with	Height A			Mounting	Std. Pkg.	Std. Ctn.
Part Number	Cable Ties‡	ln.	mm	Color	Method	Qty.	Qty.
PP1S-S10-X	M, I, S	2.00	50.8	Natural	#10 (M5) Screw	10	100
PP1S-S12-X					#12 (M5.5) Screw		
PP2S-S10-X		4.60	116.8		#10 (M5) Screw		
PP2S-S12-X					#12 (M5.5) Screw		
PP2S-S10-C0				Black	#10 (M5) Screw	100	1000

‡Cable tie cross section sizes: M = Miniature, I = Intermediate, and S = Standard.

C2

C1

C4

D1

D2

D3

E1

**E2** 

**E3** 

E4

E5

G

Н