





CABLE TRUNKING GN and GN-HF

Certified lead-free
and RoHs conform

1V/19 - 0960 0003 0005 E



2 qualities
PVC and PC/ABS*
*HF halogen free

6 heights
from 20 to 100 mm

9 widths
from 18 to 150 mm



Operating
instruction
in video


SES-STERLING 
www.ses-sterling.com




THE GN PROFILE

CABLE TRUNKING GN and GN-HF


Innovative design



Good hold of the lid on the trunking.




Innovative design.



Ease of use when opening or closing the lid.



Alignment guide for the insertion of the lid on the trunking.



Break out webs and break out sides.



Optimal deburring of the tabs for user safety.

Specifications GN-HF:

HF according VDE 0472/815
NF F 16-101/102: I3/F2
EN 45545-2: R22 HL3, R23 HL3
EN 50085-2-1

GN
PVC
-5 / +65°C
V0 UL94
RAL7030

GN-HF
PC/ABS
-25 / +90°C
V0 UL94
RAL7035

GN
blue
-5 / +65°C
V0 UL94
RAL5015

**HALOGEN FREE
QUALITY**

For the safety of persons and equipment in case of fire.




Fields of application:

Railways, Industrial, Public establishments, IGH (Buildings of great height), Public places and transport.

type	article number PVC	article number PC/ABS	article number PC/ABS	article number PC/ABS	H mm	W mm	box m
GN 15 x 15 *	0839 0111 013	-	-	-	20	18	96
GN 30 x 25	0839 0131 013	0839 0031 013	-	-	30	25	60
GN 30 x 30	-	-	0850 0133 025	0850 0033 025	30	30	48
GN 30 x 40	0839 0132 013	0839 0032 013	-	-	30	40	36
GN 40 x 25	0839 0141 013	0839 0041 013	0850 0141 025	-	40	25	48
GN 40 x 30	0839 0146 013	-	-	-	40	30	36
GN 40 x 40	0839 0142 013	0839 0042 013	0850 0142 025	0850 0042 025	40	40	32
GN 40 x 60	0839 0143 013	0839 0043 013	0850 0143 025	0850 0043 025	40	60	24
GN 40 x 80	0839 0144 013	0839 0044 013	0850 0144 025	-	40	80	24
GN 40 x 100	0839 0145 013	0839 0045 013	-	-	40	100	12
GN 60 x 25	0839 0151 013	0839 0051 013	0850 0151 025	-	60	25	48
GN 60 x 30	0839 0157 013	-	-	-	60	30	40
GN 60 x 40	0839 0152 013	0839 0052 013	0850 0152 025	0850 0052 025	60	40	32
GN 60 x 60	0839 0153 013	0839 0053 013	0850 0153 025	-	60	60	24
GN 60 x 80	0839 0154 013	0839 0054 013	0850 0154 025	-	60	80	16
GN 60 x 100	0839 0155 013	0839 0055 013	-	-	60	100	16
GN 60 x 120	0839 0156 013	0839 0056 013	-	-	60	120	12
GN 80 x 25	0839 0161 013	0839 0061 013	0850 0161 025	-	80	25	24
GN 80 x 30	0839 0167 013	-	-	-	80	30	24
GN 80 x 40	0839 0162 013	0839 0062 013	0850 0162 025	0850 0062 025	80	40	24
GN 80 x 60	0839 0163 013	0839 0063 013	0850 0163 025	-	80	60	24
GN 80 x 80	0839 0164 013	0839 0064 013	0850 0164 025	-	80	80	16
GN 80 x 100	0839 0165 013	0839 0065 013	0850 0165 025	-	80	100	12
GN 80 x 120	0839 0166 013	0839 0066 013	-	-	80	120	16
GN 100 x 30	0839 0170 013	-	0850 0170 025	-	100	30	32
GN 100 x 40	0839 0171 013	0839 0071 013	-	-	100	40	24
GN 100 x 60	0839 0172 013	0839 0072 013	0850 0172 025	-	100	60	16
GN 100 x 80	0839 0173 013	0839 0073 013	-	-	100	80	16
GN 100 x 100	0839 0174 013	0839 0074 013	-	-	100	100	16
GN 100 x 150	0839 0175 013	-	-	-	100	150	8

* Different geometry (inside dimensions 15x15 mm). Plan on request.

Retaining clip



C3/... Other accessories available



SES-STERLING®
www.ses-sterling.com

All around the cable

WORKING WITH SES-STERLING

We at SES-STERLING take pride in the fact that since our family enterprise was created in 1928, we have managed to grow it into an internationally renowned cable accessories manufacturer that can guarantee fast worldwide delivery to its clients. We're considered as a forerunner in the transformation of raw materials into electrical wiring accessories mainly thanks to the fact that we manage and control the whole production process from A to Z. We can therefore guarantee you top quality and innovative products that are 100% "Made in France".

A strong research culture makes sure the cable protection, marking and fixing products manufactured by SES-STERLING are manufactured to fulfil the needs of all our customers. With more than 26000 product references our catalogue will be able to provide trusted products of any type our clients are seeking offering the best balance between price and quality, without having to compromise on creativity. What you really need is a continuous availability, fast delivery, sufficient stocks and efficient distribution. Thanks to these elements we are able to offer first-class responsiveness, troubleshooting and support for our partners.

Our specialised team of research and development engineers work all year round to be sure that the most effective raw material mixes are used in our products so that the end user will sleep soundly whenever completing a project. All products are constantly adapted for ease of use in the field.

The SES STERLING commercial and technical teams aim to be as close as possible to our all important clients with offices in Switzerland, Belgium, Germany and the United Kingdom. And thanks to our extensive partner network in 50 countries around the world we can offer our quality products to you in the time scale required. Our teams are always ready to listen to your feedback, suggestions and questions. Local contact is the key factor, not only can we respond to your needs, but we aim to fulfil them whenever they arise.

