

DuraLabel Toro®

Independent, Standalone, Mobile 4" Label Printer

Take your work into the field with the tough, portable Toro. The standalone label printer supports labels up to 4" wide and comes preloaded with LabelForge $^{\text{TM}}$ and DuraSuite $^{\text{TM}}$ label software that makes designing, printing, and meeting label compliance easier than ever.

Independent

- No network connectivity required
- No IT support required
- No plug/outlet required with battery

Standalone

- Built-in full-size, flip-down keyboard
- 9" touchscreen with four different positions
- Pre-installed OSHA/ANSI compliance & custom label design software

Durable Labels

- Legible, long-lasting labels (300 dpi)
- 40+ application-specific supplies
- Prints on 1/2"-4" supply widths
- · Labels are moisture, UV, chemical, & abrasion resistant
- Prints on continuous & die-cut supplies



Smart Chip

- Identifies which supply is loaded
- Prompts for calibration & ribbon changes
- Auto-selects supply settings
- Displays remaining available supply
- Warns when supply is low & provides re-ordering information

ITEM	SKU	PRICE
DuraLabel Toro	DLTORO	\$2,499.00
Soft Carrying Case	DLT-SOFTCASE	\$45.99
Hard Carrying Case	DLT-CASE	\$549.99
DLT Battery	DLT-BATTERY	\$249.99
Car Adaptor	DLT-CARADAPT	\$69.99









Car Adaptor

*printer and supplies not included

Mobile

- Indoor or outdoor labeling
- · Lightweight at 13.8 lbs.
- 13.5"W x 10.25"D x 8.5"H
- Operates on battery, AC or car adaptor







DuraLabel Bronco®

Efficient, Fast, Economical 4" Label Printer

Meet your new safety sidekick. This tough-but-compact workhorse stands up to challenging environments, prints easy-to-read, high-quality labels, and comes with label creation programs LabelForge™ and DuraSuite™.

User-Friendly

- Free software upgrades
- Access to more than 1,800 industrial symbols
- Automatic cutter cleanly cuts through the thickest supply
- Small foot print

Huge Supply Selection

- 40+ industrial-strength supplies
- Labels are moisture, UV, chemical, & abrasion resistant
- Prints on continuous & die-cut supplies

Durable Labels

- Legible, long-lasting labels (300 dpi)
- Prints on 1/2"-4" supply widths
- Save time with print speeds of up to 3"/sec

ITEM	SKU	PRICE
DuraLabel Bronco	DLBRONCO	\$995.00

Shared Supplies

Two printers, one set of supplies: Toro and Bronco share supplies, so you can use the same tape in both machines.



General Purpose

Premium Vinyl Tape

Achieve lasting performance with this durable, versatile supply

- Works on surfaces up to 200°F
- · Indoor & outdoor use
- \bullet Resistant to water, UV light, most chemicals
- Other color and size options available



^{*} Comes in a 2-pack of 140' per roll, for a total of 280'

Standard Color Code

Suggested color scheme. Not a substitute for review of applicable standards.

GREEN

SAFETY: Safety equipment, first aid, safety posters, recycle

containers, exits, OSHA compliance

BLUE

EQUIPMENT & INVENTORY: Machines, inventory lines & signs, inspection points, notices. OSHA compliance

inspection points, notices, OSHA compliant

ORANGE OR YELLOW

STANDARDS: Machine guards, aisle walkways, operation standards, handrails & guardrails, cautions, warnings, OSHA compliance

RED

DEFECTS & FIRE: Scrap containers, firefighting equipment locations, sprinkler piping, tags for unused items

WHITE

TOTAL PROCESS MANAGEMENT: Repair tools, total process management materials, cleanliness

GRAY

RACKS & STORAGE: Racks, warehouse, mold skids

888-637-3893 | GraphicProducts.com

Extended-Life Vinyl Tape

Create labels that withstand moist environments

- Lasts up to 8 years outdoors
- Resistant to moisture, oil, chemicals, UV light
- 2.6 mil thick



	0.5" X 140'	1" X 140'	2" X 140'	3" X 140'	4" X 140'
White	T05-2601	T1-2601	T2-2601	T3-2601	T4-2601
Black	T05-2602	T1-2602	T2 - 2602	T3-2602	T4-2602
Clear	T05-2603	T1-2603	T2 - 2603	T3 - 2603	T4-2603
Gray	T05-2604	T1-2604	T2-2604	T3-2604	T4-2604
Blue	T05-2606	T1 - 2606	T2 - 2606	T3 - 2606	T4-2606
Green	T05-2607	T1-2607	T2 - 2607	T3-2607	T4-2607
Yellow	T05-2608	T1-2608	T2-2608	T3-2608	T4-2608
Orange	T05-2609	T1-2609	T2 - 2609	T3-2609	T4-2609
Red	T05-2610	T1-2610	T2-2610	T3-2610	T4-2610
Brown	T05-2612	T1-2612	T2-2612	T3-2612	T4-2612
	\$169,99	\$185,99	\$245,99	\$295,99	\$321,99

Blank Die-Cut Labels*

Create custom labels in a variety of die-cut shapes

- White labels last up to 3 years outdoors
- Colors recommended for indoor use only
- · Resistant to water, most chemicals
- · Matte vinyl
- · Die-cut peel & apply



	2" X 3"	3" X 4"	4" X 6"	4" X 6"
White - oval	T0203-7	-	-	_
Yellow - rectangle	_	T0304-02	T0406-10	-
Red - rectangle	-	-	-	T0406-15
Green - rectangle	_	-	-	T0406 - 16
Labels Per Roll	500	250	200	200
	\$224.99	\$224.99	\$224.99	\$248.99

^{*} Premium Black Ribbon required for this supply, please see page 19.

Blank Outdoor Die-Cut Labels

Create industrial-strength die-cut labels for outdoor use

- · Lasts 5 years outdoors
- · Resistant to water, most chemicals, UV light
- Gloss vinyl
- Die-cut peel & apply

	8014547	U S 1 B003		18
3	3" X 4"	4"	X 6"	

1245140

	2" X 2"	2" X 3"	3" X 4"	4" X 6"
White	T0202-90	T0203-30	T0304-010	T0406-90
Labels Per Roll	500	500	250	200
	\$210.99	\$220.99	\$220.99	\$220.99



Premium Vinyl Five-Year Warranty

If labels made with DuraLabel Premium Vinyl fail within five years of the purchase date, we will provide a one-time replacement roll of the same supply. For details on DuraLabel Warranties, visit GraphicProducts.com/Warranty.

Ammonia Pipe Marking Guide

This guide follows International Institute of Ammonia Refrigeration (IIAR) Bulletin No. 114, as revised in 2014. Facilities using an older version of the standard may continue to do so, as long as their usage is consistent and documented.

PIPING ABBREVIATIONS

BD

BS

CD

ES

HPL

HSD

HSS

HTRL

HTRS

HTS

HGD

IPL

LIC

LSS

LTRS

LTS

MTRL

MTRS

MTS

0D

P₀

RV

Piping Description **Booster Discharge**

Booster Suction

Condenser Drain

Economizer Suction

High Pressure Liquid

High Stage Discharge

High Temperature Suction

Intermediate Pressure Liquid

Liquid Injection Cooling

Low Temperature Suction

Medium Temperature Suction

High Temperature Recirculated Liquid

High Temperature Recirculated Suction

Low Temperature Recirculated Liquid Low Temperature Recirculated Suction

Medium Temperature Recirculated Liquid

Medium Temperature Recirculated Suction

High Stage Suction

Hot Gas Defrost

Low Stage Suction

Ammonia Pipe Markers – Five-Part Labels



1. Piping Abbreviation

Identifies the part of the system with text printed in black on an orange background. Abbreviations are recommended; see table of Piping Abbreviations. If additional identifying information is needed, include it here.

2. Physical State

- For liquid ammonia, show "LIQ" in black on a yellow band
- For vapor, show "VAP" in black on a sky blue band
- If both states may be present, both elements may appear



3. Pipe Contents

The word "AMMONIA" should be printed in black on an orange background.

Pipe Marker Dimensions

. ipo mamor pimonorono									
	Pipe Diameter ng Covering		num Marker Height		linimum ker Length		imum of Letters		. Width of Press. Bands
Up to 1.25"	32 mm	1"	25 mm	8"	203 mm	.5"	13 mm	.5"	13 mm
1.25" - 2"	32 - 51 mm	1.5"	38 mm	8"	203 mm	.75"	19 mm	.75"	19 mm
2" - 7"	51 - 178 mm	2.5"	64 mm	12"	305 mm	1.25"	32 mm	1"	25 mm
7" - 10"	178 - 254 mm	3.5"	89 mm	24"	610 mm	2.5"	64 mm	1.5"	38 mm
Over 10"	Over 254 mm	4.5"	114 mm	32"	813 mm	3.5"	89 mm	2"	51 mm

Pipe Marker Locations

- Before and after any change in pipe direction. If the pipe ends at equipment or changes direction again within 24 inches (61cm), the label in the short space may be omitted.
- Before and after any wall, ceiling, or floor penetration.
- No farther than 40 feet (12m) apart on extended runs of pipe.
- At least once in each room or area through which the pipe passes.

4. Pressure Level

- For contents at 70 psig or less, show
- "LOW" in black on a green band
- For contents above 70 psig, show "HIGH" in black on a red band



5. Flow Direction

Show the direction of flow with directional arrows, printed in black on an orange background. The arrows may appear at one or both ends of the label, and may repeat around the circumference of the pipe if desired.

Thermosyphon Return

Oil Drain

Pump Out

Relief Vent

Sub-Cooled Liquid SCL TSR Thermosyphon Supply TSS Thermosyphon Vent TSV

System Component Markers - Two-Part Labels

1. Component Identifier

Name the component with black text on an orange background. Abbreviations are acceptable; see the table of Component Abbreviations. If additional identifying information is needed, include it here.

2. Pressure Level

- For contents at 70 psig or less, show "LOW" in black on a green band
- For contents above 70 psig, show "HIGH" in black on a red band

Component Marker Dimensions

- At least 3.5 inches high
- Lettering at least 2.5 inches high
- Marker length will vary to allow for the length of the component name
- Pressure level band should be at least 1.5 inches wide

ACCUMULATOR

COMPONENT ABBREVIATIONS

I	Component/Equipment	Abbr.	Comp
	Accumulator (with/without int. coil)	ACC	Low To
	Air Cooled Condenser	AC	Low Te
			Low Lo
	Air Handling Unit	AHU	Oil Po
	Air Unit	AU	Oil Se
	Booster Compressor	вс	
	Controlled Pressure Receiver	CPR	Pilot I
	Evaporative Condenser	EC	Purge
	•		Refrig
	Heat Exchanger	HEX	Refrig
	High Pressure Receiver	HPR	Rooft
	High Stage Compressor	HSC	
	High Temperature Recirculator	HTR	Surge
	Intercooler	IC	Swing
	(with/without int. coil)	10	Therm
	Liquid Transfer Unit	LTU	Water

Abbr.
LTC
LTR
LLTR
0P
0S
PR
PRG
RP
RMAU
RTU
SD
SWC
TSR
WC

IIAR Suggested Pipe Color Scheme

In addition to the detailed labels, it may be helpful to include a color code for refrigeration system pipes. These colors may be applied as paint over the length of the pipe, or as bands of color applied periodically, as sufficient for pipe recognition. IIAR Bulletin No. 114 suggests the color scheme shown at right.

Color	Pipe Designation
Orange	High Pressure Liquid
Yellow	High Pressure Vapor
Sky Blue	Low Pressure, High Temperature Liquid/Vapor
Blue	Low Pressure, Low Temperature Liquid/Vapor
Purple	Low Pressure, Very Low Temperature Liquid/Vapor
Gray	Pressure Relief Vent piping
Green	Nonvolatile, Non-pressurized Process piping


This, or any other pipe coloring scheme, should only be used in conjunction with a clearly posted legend or key describing the color scheme in place.




Home of **DuraLabel** •

REQUEST A FREE BEST PRACTICE GUIDE TODAY AT: GraphicProducts.com/PipeGuide

How To Choose a Chemical Label








Labeling & Signage | Toro/Bronco

DuraChem Chemical Resistant Tape*

Give labels an extra level of chemical resistance

- · Resistant to strong solvents, chemicals, acetone
- · Comply with FDA for indirect food contact
- · Indoor & outdoor use



^{*} DuraChem Ribbon required for this supply, please see page 19

Clear Matte Poly Tape

Print clear matte labels for a professional look

- · Non-reflective finish so surface colors show without glare
- Permanent pressure-sensitive adhesive
- · Resistant to alcohol, petroleum



Dry Erase Tape

Write onto supply and re-write when information changes

- · Bonds well to low-surface energy plastics & painted metals
- · Use any dry erase marker to note



Metallized Poly Tape

Give signs and labels a brushed aluminum accent

- · Brushed aluminum appearance
- · Resistant to mild acids, alkalis, salt



^{*} Comes in a 2-pack of 70' per roll, for a total of 140



Encourage proper PPE use with premade safety signs.

Visit us at:

GraphicProducts.com



Standards Compliance

HAZMAT COMPLIANCE

GHS Labels*

Communicate chemical hazards

- · Comply with standards set by the UN & EU
- Comply with British Standard (BS) 5609 for saltwater immersion
- 2.0 mil outdoor durable polyester
- Preprinted with up to 4 red diamonds



^{*} Premium Black Ribbon required for this supply, please see page 19.

HazCom 2012*

Comply with OSHA hazardous chemical labeling standards

- · Comply with standards established by OSHA
- Comply with British Standard (BS) 5609 for saltwater immersion
- 2.0 mil outdoor durable polyester
- Preprinted with up to 5 red diamonds



^{*} Premium Black Ribbon required for this supply, please see page 19.



Outdoor RTK Color Bar Labels

Communicate material hazards with RTK Color Bar labels

- Lasts 5 years outdoors
- · Resistant to water, most chemicals
- · Die-cut gloss vinyl



	2" X 2"	3" X 1.4375"	4" X 3.5"
Outdoor RTK Color Bar Labels	T0202-20	T0301-10	T04035-40
Labels Per Roll	500	500	250
	\$220.99	\$220.99	\$220.99

Outdoor RTK Diamond Labels[†]

Alert workers to chemical hazards outdoors

- · Lasts 5 years outdoors
- · Resistant to water, most chemicals
- Die-cut gloss vinyl peel & apply



	2" X 2"	3" X 5"	4" X 6"
Outdoor RTK Diamond Labels	T0202-10	T0305-10	T0406-10
Labels Per Roll	500	250	200
	\$220.99	\$220.99	\$220.99

[†] Compatible with DuraSuite™ Labeling Software 1.5.5.3 or earlier

Outdoor NFPA Labels[‡]

Alert workers to outdoor chemical hazards

- NFPA 704 compliant
- Lasts 5 years outdoors
- Resistant to water, most chemicals
- Die-cut gloss vinyl peel & apply



	1" X 3"	2" X 2"	3" X 5"	4" X 6"
Outdoor NFPA Labels	TO103-NFPAO	TO202-NFPAO	T0305-NFPAO	TO406-NFPAO
Labels Per Roll	500	500	250	200
	\$220.99	\$220.99	\$220.99	\$220.99

[‡] Compatible with DuraSuite™ Labeling Software 1.6.2.2

Materiel Condition Labels

Military labels formatted to meet the requirements of MIL-STD-129 section 5.10.21

• Tough 3.0 mil vinyl film provides lasting performance in harsh environments



	3" X 5.5"
DD Form 1574-1	T03054-09N
DD Form 1575-1	T03054-12N
DD Form 1576-1	T03054-06N
DD Form 1577-1	T03054-10N
DD Form 1577-3	T03054-07N
Labels Per Roll	256
	\$225.99

LABEL COMPLIANCE

UL 969 Compliant Poly Tape*

Ensure labels comply with UL 969 requirements

- · Strong, industrial adhesive
- Resistant to water, UV light, solvents
- White, silver, clear 1.0 mil gloss polyester
- Other colors 3.5 mil Biaxially Oriented Polypropylene laminated w/gloss clear polyester film



	1" X 94'	2" X 94'	3" X 94'	4" X 94'
White	T1-01UL	T2-01UL	T3-01UL	T4-01UL
Clear	T1-03UL	T2-03UL	T3-03UL	T4-03UL
Silver	T1-06UL	T2-06UL	T3-06UL	T4-06UL
	\$85.99	\$107.99	\$141.99	\$162.99

	1" X 70'	2" X 70'	3" X 70'	4" X 70'
Green	T1-07UL	T2-07UL	T3-07UL	T4-07UL
Yellow	T1-08UL	T2-08UL	T3-08UL	T4-08UL
Orange	T1-09UL	T2-09UL	T3-09UL	T4-09UL
Red	T1-10UL	T2-10UL	T3-10UL	T4-10UL
Safety Purple	T1-11UL	T2-11UL	T3-11UL	T4-11UL
Light Brown	T1-12UL	T2-12UL	T3-12UL	T4-12UL
Sky Blue	T1-14UL	T2-14UL	T3-14UL	T4-14UL
Gray	T1-31UL	T2-31UL	T3-31UL	T4-31UL
	\$113.99	\$152,99	\$191,99	\$211,99

^{*} Premium Black Ribbon required for UL recognition, please see page 19.

Marine Label Tape*

Make signs that can withstand saltwater immersion

- Comply with British Standard (BS) 5609 for saltwater immersion
- Withstands extreme saltwater spray
- Resistant to chemicals, UV light, abrasive handling



	1" X 95'	2" X 95'	3" X 95'	4" X 95'
White	T1-2001M	T2-2001M	T3-2001M	T4-2001M
	\$80.99	\$106.99	\$132,99	\$160.99

^{*} Premium Black Ribbon required for this supply, please see page 19.

Metal-Detectable Tape

Detect label fragments to prevent contamination

- Comply with FDA-021 CFR 175-105
- Easily locate with a metal detector
- · Ideal for the food industry



	2" X 75'	4" X 75'
White	T2-01MD	T4-01MD
	\$112.99	\$149.99

SAFETY COMPLIANCE



Arc Flash/OSHA Two-Color Vinyl Tape

Create OSHA-compliant Health & Safety signs quickly

- Specialty colors & sizes available
- Customize labels & signs with OSHA-approved colors
- Resistant to water, UV light, most chemicals
- 3.0 mil vinyl
- Works on surfaces up to 200°F

Chart sizes show supply width and height of stripe — for instance $3" \times 1"$ supply is 3" tall supply with a 1" stripe. Supply rolls are 70' in length.



	3" X 0.25"	3" X 0.5"	3" X 0.75"	3" X 1"	3" X 1.1875"
Orange Stripe	T3-4025	T3-4050	T3-4075	T3-4100	T3-4118
Red Stripe	T3-5025	T3-5050	T3-5075	T3-5100	T3-5118
	\$155.99	\$155.99	\$155.99	\$155.99	\$155.99

	4" X 0.5"	4" X 0.75"	4" X 1"	4" X 1.1875"	4" X 1.5"
Orange Stripe	T4-4050	T4-4075	T4-4100	T4-4118	T4-4150
Red Stripe	T4-5050	T4-5075	T4-5100	T4-5118	T4-5150
	\$178.99	\$178.99	\$178.99	\$178.99	\$178.99

Outdoor Arc Flash, Health & Safety Labels

Alert workers to outdoor safety hazards

- OSHA/NFPA 70E/NEC/CSA Z462/ANSI compliant
- · Lasts 5 years outdoors
- Resistant to chemicals, water, UV light
- Die-cut gloss vinyl peel & apply



	4" X 6"
A CAUTION	T0406-170
▲ PRECAUCIÓN	T0406-17SO
NOTICE	T0406-60
AVISO	T0406-6SO
▲ WARNING	T0406-70
A AVERTISSEMENT	T0406-7F0
▲ ADVERTENCIA	T0406-7SO
▲ DANGER	T0406-80
▲ PELIGRO	T0406-8SO
Labels Per Roll	200
	\$220,99



Special Adhesives

Ultra-Aggressive Adhesive Vinyl Tape

Print labels that adhere to uneven materials, including plastics, concrete, brick, and wood.

- Stays in place for up to 7 years
- Indoor and outdoor use
- · Resistant to chemicals
- For surfaces which may reach -65°F to 225°F



	1" X 150'*	2" X 150'*	3" X 150'*	4" X 150'*
White	2-T1-2601UA	2-T2-2601UA	2-T3-2601UA	2-T4-2601UA
	\$197.99	\$260.99	\$300.99	\$332.99

^{*} Comes in a 2-pack of 75' per roll, for a total of 150'

Aggressive Adhesive Vinyl Tape

Make labels that stand up to tough environments

- · Ideal for tough, textured surfaces
- Pressure-sensitive adhesive
- Stick to sign blanks, flexible substrates, and painted metal



	1" X 150'	2" X 150'	3" X 150'	4" X 150'
White	T1-2600UA	T2-2600UA	T3-2600UA	T4-2600UA
Black	T1-2602UA	T2-2602UA	T3-2602UA	T4-2602UA
Blue	T1-2606UA	T2-2606UA	T3-2606UA	T4-2606UA
Green	T1-2607UA	T2-2607UA	T3-2607UA	T4-2607UA
Yellow	T1-2608UA	T2-2608UA	T3-2608UA	T4-2608UA
Orange	T1-2609UA	T2-2609UA	T3-2609UA	T4-2609UA
Red	T1-2610UA	T2-2610UA	T3-2610UA	T4-2610UA
Purple	T1-2611UA	T2-2611UA	T3-2611UA	T4-2611UA
Brown	T1-2612UA	T2-2612UA	T3-2612UA	T4-2612UA
Gray	T1-2631UA	T2-2631UA	T3-2631UA	T4-2631UA
	\$184.99	\$248.99	\$298.99	\$321.99

High-Tack Tape

Ensure lasting label adhesion

- Applies to low energy surfaces (plastic, metals, & paints)
- White is vinyl; silver & clear are polyester



	1" X 140'*	2" X 140'*	3" X 140'*	4" X 140'*
White	2-T1-3201HT	2-T2-3201HT	2-T3-3201HT	2-T4-3201HT
	\$157.99	\$224.99	\$281,99	\$313.99
	1" X 94'	2" X 94'	3" X 94'	4" X 94'

	\$85.99	\$107.99	\$141.99	\$162.99
Silver	T1-6HT	T2-6HT	T3-6HT	T4-6HT
Clear	T1-3HT	T2-3HT	тз-знт	T4-3HT
	1" X 94'	2" X 94'	3" X 94'	4" X 94'

^{*} Comes in a 2-pack of 70' per roll, for a total of 140'

Oily Surface Tape

Create signs and labels that bond with oily surfaces

- Adheres to greasy, dirty surfaces
- · Resistant to oil, gas, moisture





Protect stainless steel pipes from corrosion

 Adhesive contains low levels of halogen to help protect stainless steel alloys from corrosive damage

> **1**" X **80**' T1-4201

· Low profile polyester

White



Sally Weber

T4-4201

T3-4201

	\$111.99	\$145.99	\$172.99	\$188.99
	1" X 80'	2" X 80'	3" X 80'	4" X 80'
Black	T1-4202	T2-4202	T3-4202	T4-4202
Green	T1-4207	T2-4207	T3-4207	T4-4207
Yellow	T1-4208	T2-4208	T3-4208	T4-4208
Orange	T1-4209	T2-4209	T3-4209	T4-4209
Red	T1-4210	T2-4210	T3-4210	T4-4210
Purple	T1-4211	T2-4211	T3-4211	T4-4211
Brown	T1-4212	T2-4212	T3-4212	T4-4212
Sky Blue	T1-4218	T2-4218	T3-4218	T4-4218
	\$106,99	\$139.99	\$165,99	\$181.99

T2-4201

Iron-On Tape

Label fabric with a tough industrial label

- Washer & dryer safe
- Easy to apply with a household iron
- · Hot melt adhesive bonds to fabric

Hot melt agnesive bonds to tabric	
	1.5" X 100'
White	T150-01100IOL
	\$80,99

DuraLabel Toro Wire Marking Kit

Includes a Toro printer, preloaded with DuraSuite™ and LabelForge™ software, and a variety of wire marking supplies.



Wire Marking

Self-Laminating Wire Wraps

Organize and identify wires and cables

- · Custom order colors/sizes available
- A clear tail wraps over the printed portion to help protect against chemicals & abrasion
- Resistant to water, oil, UV light, mild solvents

Chart sizes show supply width and height of printable area — for instance $1" \times 0.25"$ supply is 1" tall supply with a 0.25" high printable strip. Supply rolls are 70' in length.

	1" X 0.25"	2" X 0,5"	3" X 1"	4" X 1"
White	T1-201	T2-201	T3-201	T4-201
	\$100.99	\$129.99	\$167.99	\$200.99
	1" X .25"	2" X .5"	3" X 1"	4" X 1"
Blue	T1-201B	T2-201B	T3-201B	T4-201B
Green	T1-201G	T2-201G	T3-201G	T4-201G
Yellow	T1-201Y	T2-201Y	T3-201Y	T4-201Y
Orange	T1-201 O	T2-201 0	T3-201 O	T4-201 O
Red	T1-201R	T2-201R	T3-201R	T4-201R
Magenta	T1-201M	T2-201M	T3-201M	T4-201M
	\$111.99	\$140.99	\$178.99	\$211.99

Shrink-Tubing*

Give wires and cables a professional-grade label

- Meets UL, CSA, & military requirements
- Ideal for wires & cable
- Flame retardant
- 3:1 shrink ratio

	0,125" X 25'	0,1875" X 25'	0,25" X 25'	0,375" X 25'	0.5" X 25'	0.75" X 25'	1" X 25'	1.5" X 25'
White	T0125-1	T01875-1	T025-1	T0375-1	T050-1	T075-1	T100-1	T150-1
Yellow	T0125-2	T01875-2	T025-2	T0375-2	T050-2	T075-2	_	_
	\$96.99	\$101.99	\$107.99	\$113.99	\$118.99	\$179.99	\$224.99	\$258.99

	0.375" X 25'	0.5" X 25'**	0.75" X 25'**
Gray	T0375-4	T050-4	T075-4
Blue	T0375-6	T050-6	T075-6
Green	T0375-7	T050-7	T075-7
Orange	T0375-9	T050-9	T075-9
Red	T0375-10	T050-10	T075-10
Purple	T0375-11	T050-11	T075-11
Black	T0375 -1 5	T050-15	T075-15
	\$118.99	\$124.99	\$191.99

^{*} Not compatible with the DuraLabel Bronco printer.

Premium White Ribbon required for Black Shrink-Tubing. All other colors use Shrink-Tubing Ribbon, please see page 19.

Nylon Label Tape

Label fabrics, wire, and other flexible surfaces

- Pliant label conforms to unusual shapes
- Maintains its shape, even after twisting

B				
	1" X 150'	2" X 150'		
White	T1-01N	T2-01N		
	\$162.99	\$208.99		



^{**}Requires manual cutting.


Electronics Labeling

Circuit Board Polyimide Tape

Label electrical components even when surface temperatures reach extremes

- · For surfaces which may reach -40°F to 350°F
- Resistant to wave soldering, acidic solvents
- · Low profile polyimide





Electrostatic Dissipative Tape (ESD)

Prevent electronic damage caused by static charge

- Decreases risk of print voids and damage to electronics due to static discharge
- Strong industrial adhesive

• Kes	sistant to solver	nts, UV light, oil			To the same of the
		1" X 94'	2" X 94'	3" X 94'	4" X 94'
	Silver	T1-6ESD	T2-6ESD	T3-6ESD	T4-6ESD



Security Labels



📂 Custom UV Watermark Tapes

Call 888-637-3893 today to speak with an experienced representative about Custom UV Watermark options. Then, electronically send us a graphic and/or text of your choice for UV Watermarking to receive your order of Custom UV Watermark Tape!

Tamper-Evident Destructible Labels

Detect label tampering

- Tape fragments like dry paint when tampering occurs
- · Resistant to water, cleaning solution



	1.875" X 0.75"
White	T018075-TE
Labels Per Roll	250
	\$112.99

Tamper-Evident "Void" Tape

Reveal label tampering to prevent tampering

- When removed, the word "VOID" is recorded onto both the surface & the label
- · Resistant to water, cleaning solution



	1" X 100'	2" X 100'
White	T1-601	T2-601
	\$133.99	\$178.99

Embossable Poly Tape

Ensure written impression stays long after the ink fades

· Resistant to humidity, water

Gloss Silver

• 6.0 mil thick



\$222.99

* Comes in a 2-pack of 75' per roll, for a total of 150'

Repositionable Labels

Repositionable Tape

Remove and reapply labels again and again

- Indoor & outdoor use
- · Resistant to many chemicals & solvents



\$202,99

\$268,99

Magnetic Supply

Place on metal shelves or vehicles and move when needed

- Ideal for temporary labeling & signage on metal surfaces
- No surface damage
- · Ideal for vehicles & equipment



\$248,99

\$292,99

	0₌5" X 25'	1" X 25'	2" X 25'
White	T05-01M	T1-01M	T2-01M
Black	T05-02M	T1-02M	T2-02M
Gray	T05-04M	T1-04M	T2-04M
Blue	T05-06M	T1-06M	T2-06M
Green	T05-07M	T1-07M	T2-07M
Yellow	T05-08M	T1-08M	T2-08M
Orange	T05-09M	T1-09M	T2-09M
Red	T05-10M	T1-10M	T2-10M
Purple	T05-11M	T1-11M	T2-11M
Brown	T05-12M	T1-12M	T2-12M
	\$64.99	\$90.99	\$108.99

Tag Stock

DuraTag™ (Tag Stock)

Create rugged tear-resistant tags that stand up to high temperatures

- · Blank canvas for customization
- Colors resist heat up to 180°F
- White resists heat up to 200°F
- · Tear resistant, no grommets needed
- · Attach with cable tie, chain, etc.
- Indoor & outdoor use

White

· Resistant to moisture, chemicals



4" X 100'

T4100-1

Willied	101001	141001
	\$248.99	\$291.99
	3" X 100'	4" X 100'
Yellow	T3100-2	T4100-2
Red	T3100-4	T4100-4
Green	T3100-5	T4100-5
Orange	T3100-10	T4100-10
Light Blue	T3100-11	T4100-11
	\$291.99	\$312.99

3" X 100'

T3100-1

DuraTag™ LO/TO Tag Stock (Lockout/Tagout)

Grab attention with vivid red stripes

- Red candy striping with "Danger" header on one side
- Tear resistant, no grommets needed
- Attach with cable tie, chain, etc.
- Indoor & outdoor use
- · Resistant to moisture, UV light, common chemicals
- · Custom tags available



	Tags Per Roll	3" X 5"
Red Stripe	240	T0305-15
		\$242,99



High-Temp Tag Stock

Label surfaces up to 446°F

- Indoor & outdoor use
- Tear-resistant, repels oil & dirt



Looking for tag attachment options?

Call us at 888-637-3893 today!



^{\$224,99} * Comes in a 2-pack of 140' per roll, for a total of 280'

High Visibility

Reflective Vinyl Tape

Make labels that stand out in low-light conditions

- Indoor & outdoor use
- Resistant to common chemicals
- · Engineering grade reflective vinyl



	1" X 70'	2" X 70'	3" X 70'	4" X 70'
White	T1-101	T2-101	T3-101	T4-101
Yellow	T1-102	T2-102	T3 - 102	T4-102
Red	T1-104	T2-104	T3-104	T4-104
Green	T1-105	T2-105	T3 - 105	T4-105
Orange	T1-110	T2-110	T3-110	T4-110
Blue	T1-111	T2-111	T3-111	T4-111
	\$157.99	\$208.99	\$253.99	\$297.99

Fluorescent HiViz Tape

Grab attention with bright fluorescent labels and signs

- · Short-term, indoor use only
- Resistant to mild acids, mold, salt
- · Low profile tape



	0.5" X 280'*	1" X 280'*	2" X 140'	3" X 140'	4" X 140'
Yellow	2-T05-36	2-T1-36	T2 - 36	T3 - 36	T4-36
Green	2-T05-62	2-T1-62	T2-62	T3 - 62	T4-62
Orange	2 - T05-74	2-T1-74	T2 - 74	T3-74	T4 - 74
	\$253.99	\$297.99	\$241.99	\$276.99	\$320.99

^{*} Comes in a 2-pack of 140' per roll, for a total of 280'

Fluorescent Outdoor HiViz Tape

Capture attention with outdoor fluorescent signs


- Ideal for use in construction sites, industrial equipment warnings, etc.
- · Thick label constructed for extended outdoor resistance



	1" X 50'	2" X 50'	3" X 50'	4" X 50'
Yellow	T1-360	T2-360	T3-360	T4-360
Green	T1-620	T2-620	T3-620	T4-620
Pink	T1-700	T2-700	T3-700	T4-700
Orange	T1-740	T2-740	T3-740	T4-740
Orange-Red	T1-780	T2-780	T3-780	T4 - 780
Red	T1-980	T2-980	T3 - 980	T4-980
	\$96.99	\$129.99	\$162.99	\$197.99

Customize Any Sign or Label to Fit Your Needs.

Customize labels, signs, and banners for safety, compliance, wayfinding, or any visual communication challenge you may have. Look for the Customize It icon throughout the catalog for products that can be altered to your specifications.



ENSURE CODE COMPLIANCE!

BoldGlo Phosphorescent Tapes provide dependable luminescence for up to 8 hours after the lights go out, meeting NFPA and OSHA codes and standards.

BoldGlo Phosphorescent Tape

Designate a safe emergency exit route


- Complies with many state and federal "Emergency Exit Sign" laws and standards
- · Ideal for emergency exit labeling
- · Glow-in-the-dark properties for up to 8 hours!
- · Resistant to common chemicals
- · Recommended for indoor use only
- · Color: off white glows green

•••	5.5 m 5.5 m 5.5 m							
		1" X 50'	2" X 50'	4" X 50'				
	Glows Green	T1-250	T2-250	T4-250				
		\$157.99	\$248.99	\$359.99				

Phosphorescent Tape

Keep workers safe with glowing signs

- · Glow-in-the-dark properties for approximately 1 hour
- · Recommended for indoor use only
- Color: off white glows green





Low/High Temperatures

Cold Storage Tape

Create labels that withstand sub-zero temps

- For temperatures down to -65°F
- Indoor & outdoor use
- Pressure-sensitive acrylic adhesive



	1" X 200'*	2" X 100'	3" X 100'	4" X 100'
White	2-T1-301	T2-301	T3-301	T4-301
Yellow	2-T1-302	T2-302	T3-302	T4-302
	\$292.99	\$191.99	\$236.99	\$281.99

^{*} Comes in a 2-pack of 100' per roll, for a total of 200'

Cryogenic Labels

Create labels that survive the freezing process

- Resistant to liquid/vapor phase liquid nitrogen, dry ice deep freezes, autoclaving & more
- For temperatures of -320°F to 248°F



	0.75" X 0.75"	1" X 1"	1.25" X 0.5"	2" X 0.5"
White	T075075-1C	T1010-1C	T05125-1C	T0520-1C
Labels Per Roll	1000	1000	1000	1000
	\$162.99	\$169.99	\$157.99	\$191.99

	2" X 1"	2" X 3"	4" X 1"	4" X 3"
White	T1020-1C	T3020-1C	T1040-1C	T3040-1C
Labels Per Roll	500	500	250	250
	\$113.99	\$197.99	\$113.99	\$208.99


LN2 Poly Tape

Label extremely cold surfaces

- For temperatures of -112°F to 176°F
- Permanent acrylic adhesive
- · Low profile polyester



	1" X 140'	2" X 140'
Clear	T1-03CT	T2-03CT
	\$132,99	\$185.99



High-Temp Poly Tape

Print labels that withstand very hot or cold temperatures

• For temperatures of -40°F to 300°F

1" X 300'*

2-T1-801

· Sticks to cold & hot surfaces

White

· Low surface energy adhesive



T4-801

3" X 150'

T3-801

	\$295.99	\$208.99	\$272.99	\$284.99
	1" X 70'	2" X 70'	3" X 70'	4" X 70'
Yellow	T1-802	T2-802	T3-802	T4-802
Black	T1-805	T2-805	T3-805	T4-805
Blue	T1-806	T2-806	T3-806	T4-806
Orange	T1-809	T2-809	T3-809	T4-809
Red	T1-810	T2-810	T3-810	T4-810
_	\$104.99	\$115.99	\$136.99	\$157.99

2" X 150'

T2-801

Floor Marking

DuraPav Floor Marking Tape

Mark outdoor concrete or asphalt

- · Print directly onto tape
- Ideal for areas where aggressive adhesive is needed
- 3-year outdoor durability; 5-year outdoor durability when used with Floor Marking Overlaminate



	0.5" X 140'*	1" X 140'*	2" X 70'	3" X 70'	4" X 70'
White	2-T0570-01DP	2-T170-01DP	T270-01DP	T370-01DP	T470-01DP
	\$68,99	\$129,99	\$113,99	\$169,99	\$213.99

^{*} Comes in a 2-pack of 70' per roll, for a total of 140'

Printable Floor Marking Tape

Extend your safety message to the floor

- · Print directly onto tape
- Resistant to common light, moderate wash-down chemicals
- Increase life of printed message use with our Floor Marking Overlaminate



	0,5" X 140'	1" X 140'	2" X 140'	3" X 140'	4" X 140'
White	TPFMT105140	TPFMT110140	TPFMT120140	TPFMT130140	TPFMT140140
Black	TPFMT205140	TPFMT210140	TPFMT220140	TPFMT230140	TPFMT240140
Gray	TPFMT405140	TPFMT410140	TPFMT420140	TPFMT430140	TPFMT440140
Blue	TPFMT605140	TPFMT610140	TPFMT620140	TPFMT630140	TPFMT640140
Green	TPFMT705140	TPFMT710140	TPFMT720140	TPFMT705140	TPFMT705140
Yellow	TPFMT805140	TPFMT810140	TPFMT820140	TPFMT830140	TPFMT840140
Orange	TPFMT905140	TPFMT910140	TPFMT920140	TPFMT930140	TPFMT940140
Red	TPFMT1005140	TPFMT1010140	TPFMT1020140	TPFMT1030140	TPFMT1040140
Brown	TPFMT1205140	TPFMT1210140	TPFMT1220140	TPFMT1230140	TPFMT1240140
	\$120.99	\$136.99	\$186.99	\$229.99	\$252.99

^{*} Comes in a 2-pack of 150' per roll, for a total of 300'

overlaminate for 1/2" - 1" tape, 3" overlaminate for 2" tape,



Clear L320140 L330140 L340140 L350140

Floor Marking Overlaminate Place this supply over Printable Floor Marking Tape or DuraPav Floor Marking Tape to increase their lifespan. Use 2" 4" overlaminate for 3" tape, or 5" overlaminate for 4" tape. **Ribbons**

Premium Ribbons

Print lasting text and graphics with "fine-print" definition

- · Thermal transfer ribbons (TTR), suitable for the most demanding applications
- Resistant to UV light, moisture, abrasion, most chemicals

1
ATED

·	
	4" X 361'
White	4431111
	\$116.99

	4" X 361'
Black	4431110
	\$104.99

	4" X 361'
Yellow	4431118
Green	4431121
Orange	4431122
Red	4431123
Dark Blue	4431124
	\$156,99

Extreme Chemical Resistant Ribbon

Ensure labels survive exposure to harsh chemicals

- · Our most abrasion-resistant ribbon
- · Resistant to alcohol, oil, mineral spirits, hydraulic fluid, lubricating oil, & 5% salt water

	4" X 361'
Black	4431136
	\$135.99

Shrink-Tubing Ribbon

Obtain peak performance from shrink-tubing supply

- Use with Shrink-Tubing Supply
- Meets UL, CSA & military requirements

	4" X 361'
Black	4431140
	\$138.99

Petroleum Resistant Ribbon

Print onto signs and labels meant for oily environments

- · Improved chemical resistance
- · Resin-based ink lasts even when exposed to petroleum-based liquids

	4" X 361'
Black	4431120
	\$116.99

DuraChem Ribbon

Print signs and labels that can stand up to chemicals

- Designed for use with DuraChem Chemical Resistant Tapes
- · Best choice for chemical resistance, even resistant to acetone

	4" X 361'
Black	4431133
	\$138.99

Which ribbon should you choose?

See next page for our ribbon compatibility information.



Ribbon Compatibility Chart

Use the following chart to find the best ribbon to go with your supply. Please feel free to call us with questions. We will help ensure you receive everything you need for your labeling/signage project.

KEY

REQ = **REQUIRED**

REC = RECOMMENDED

COM = COMPATIBLE

N/C = NOTCOMPATIBLE

N/R = NOT RECOMMENDED

	Premium Black	Petroleum Resistant	Extreme Chem Resistant	Premium White	Premium Colors	Shrink-Tubing	DuraChem
Aggressive Adhesive	сом	сом	сом	сом	СОМ	N/C	N/C
Arc Flash/OSHA Two-Color Vinyl	сом	сом	сом	N/R	СОМ	N/C	N/C
Blank Die-Cut	REQ	N/C	N/C	N/R	N/C	N/C	N/C
Blank Outdoor Die-Cut	сом	сом	сом	N/R	СОМ	N/C	N/C
BoldGlo Phosphorescent/Phosphorescent	сом	сом	сом	N/R	сом	N/C	N/C
Circuit Board Polyimide	сом	сом	сом	N/R	сом	N/C	N/C
Clear Matte Poly	сом	сом	сом	СОМ	СОМ	N/C	N/C
Cold Storage (White)	сом	сом	сом	N/C	сом	N/C	N/C
Cold Storage (Yellow)	сом	сом	сом	N/C	СОМ	N/C	N/C
Cryogenic Labels	REC	N/C	N/C	N/C	REC	N/C	N/C
Dry Erase Tape	сом	сом	сом	N/C	сом	N/C	N/C
DuraChem Chemical Resistant	N/C	N/C	N/C	N/C	N/C	N/C	REQ
DuraPav	сом	N/C	сом	N/C	сом	N/C	N/C
DuraTag	сом	N/C	N/C	N/C	сом	N/C	N/C
DuraTag LO/TO Tag Stock	сом	N/C	N/C	N/C	сом	N/C	N/C
Electrostatic Dissipative (ESD)	сом	сом	сом	СОМ	сом	N/C	N/C
Embossable Poly	сом	сом	сом	СОМ	сом	N/C	N/C
Extended-Life Vinyl	сом	сом	сом	СОМ	сом	N/C	N/C
Fluorescent HiViz	сом	сом	сом	СОМ	сом	N/C	N/C
Fluorescent Outdoors HiViZ	сом	сом	сом	СОМ	сом	N/C	N/C
GHS/HazCom 2012	REQ	N/C	N/C	N/C	N/C	N/C	N/C
High-Tack	сом	сом	сом	N/C	СОМ	N/C	N/C
High-Temp Poly (White)	сом	сом	сом	N/C	СОМ	N/C	N/C
High-Temp Poly (Colors)	сом	N/C	N/C	N/C	сом	N/C	N/C

	Premium Black	Petroleum Resistant	Extreme Chem Resistant	Premium White	Premium Colors	Shrink-Tubing	DuraChem
High-Temp Tag Stock	сом	N/C	N/C	N/C	сом	N/C	N/C
Iron-On	сом	N/C	N/C	N/C	N/C	N/C	N/C
LN2 Poly	сом	сом	N/C	сом	сом	N/C	N/C
Low-Halogen	сом	сом	сом	сом	сом*	N/C	N/C
Marine Label Tape	REQ	N/C	N/C	N/C	N/C	N/C	N/C
Materiel Condition Tags	сом	сом	сом	N/C	сом	N/C	N/C
Metal-Detectable	сом	сом	сом	сом	сом	N/C	N/C
Metallized Poly	сом	сом	сом	СОМ	сом	N/C	N/C
Nylon Label	сом	N/C	N/C	N/C	N/C	N/C	N/C
Oily Surface	сом	сом	сом	N/R	сом	N/C	N/C
Outdoor Arc Flash, Health & Safety Labels	сом	сом	сом	N/C	сом	N/C	N/C
Outdoor NFPA Diamond/Outdoor RTK Diamond Labels	сом	СОМ	сом	N/C	СОМ	N/C	N/C
Outdoor RTK Color Bar Labels	сом	сом	сом	N/C	сом	N/C	N/C
Premium Vinyl	сом	сом	сом	сом	сом	N/C	N/C
Printable Floor Marking Tape	сом	сом	сом	сом	сом	N/C	N/C
Reflective Vinyl	сом	сом	сом	сом	сом	N/C	N/C
Repositionable (White)	сом	сом	сом	N/R	сом	N/C	N/C
Repositionable (Yellow)	сом	сом	сом	сом	сом	N/C	N/C
Self-Laminating Wire Wraps (White)	REC	сом	сом	N/C	сом	N/C	N/C
Self-Laminating Wire Wraps (Colors)	REC	сом	сом	сом	сом	N/C	N/C
Shrink-Tubing (White)**	N/C	N/C	N/C	N/C	N/C	REQ	N/C
Shrink-Tubing (Black)**	N/C	N/C	N/C	REQ	N/C	N/C	N/C
Shrink-Tubing (Colors)**	N/C	N/C	N/C	сом	сом	REC	N/C
Tamper-Evident "VOID"	REC	N/C	N/C	N/C	сом	N/C	N/C
Tamper-Evident Destructible	REC	N/C	N/C	N/C	сом	N/C	N/C
UL 969 Compliant Poly	REQ	N/C	N/C	N/C	N/C	N/C	N/C
Ultra-Aggressive Adhesive	REC	N/C	N/C	N/C	сом	N/C	N/C

^{*}Not compatible with green, brown, or purple premium ribbon. **Not compatible with the DuraLabel Bronco printer.