



Upstream / Downstream Pipework Identification Tape

Manufactured from Halogen Free film and adhesives

A range of one piece self-adhesive pipe marking tapes that have been developed specifically for use on offshore platforms and onshore oil and gas refineries. The one-piece process is faster and more economical than traditional paint methods.

The tapes have a clearly defined inner and outer colour coded band that meet the colour requirements of BS4800, and are printed with the relevant service description within a directional arrow.

The text and arrow are rotated through 180° on the tape allowing the tape to be used regardless of the direction of service and aids the ability to read the tape easily be that from above or below the pipework.


The tapes can be applied directly to the pipe surface or on top of any pipework insulation that may be in place.

Manufactured using the highest quality halogen free materials and a multi-layering process to ensure the finished product is UV resistant and resistant to water, oil and chemicals. The permanent acrylic adhesive and easy-peel release backing paper make application of the tape easy.

Available to cover the range of services listed within this datasheet and can also be customised to meet a project specific application.

Tape Construction

- Multi-layer manufacturing process
- Printed colours and text are encapsulated



Crystal clear, gloss over-laminating polyester film UV resistant inks for outdoor applications Halogen Free printable polypropylene film Halogen Free permanent acrylic adhesive Super-calendered glassine release liner

Technical Data

Base Material - Halogen Free

Herma 813 white, matt, opaque, polypropylene film. Herma 813 features high weather and UV-resistance and is thus suited for outdoor applications. In combination with Herma 63B UV acrylic adhesive the film complies with BS 5609/II (resistance to sea water).

Adhesive - Halogen Free

Herma 63B permanent adhesive, acrylic based. The adhesive is highly water-resistant and is suitable for labelling cold and humid surfaces. It is extremely resistant to light, heat and ageing.

Backing Liner - Halogen Free

Herma PW 517 White, release liner, super-calendered glassine.

Thickness

134 micron (with liner) 80 micron (without liner)

Dimensions

Width : 100mm for <100mm dia Width : 150mm for >100mm dia Length : 25 metres

Operating Temperature -40°C up to +150°C

Application

For outdoor and indoor use

Halogen Free Material

We confirm that no halogens or halogenated substances (chlorides, bromides, fluorides) were used in the manufacturing process of these self-adhesive materials.



LABEL & IDENTIFY

www.expresselectrical.co.uk

Drilling

pipework identification tape colour schedule and ordering information



Part Number 100mm	Part Number 150mm	Service Code	Outer Band (BS4800 Colour)	Inner Band (BS4800 Colour)	Tape Layout
IDEG100-BC	IDEG150-BC	BC	04 D 45 (Dark Red)	00 E 55 (White)	BULK CEMENT
IDEG100-BL	IDEG150-BL	BL	04 D 45 (Dark Red)	04 D 45 (Dark Red)	CEMENT SLURRY LP
IDEG100-BM	IDEG150-BM	ВМ	04 D 45 (Dark Red)	10 A 03 (Silver)	CEMENT SLURRY HP
IDEG100-CX	IDEG150-CX	сх	04 D 45 (Dark Red)	12 D 45 (Green)	CHEMICAL CEMENT ADDITIVES
IDEG100-ED	IDEG150-ED	ED	00 E 53 (Black)	06 E 51 (Orange)	DRILLING EFFLUENT OVER-BOARD
IDEG100-FC	IDEG150-FC	FC	04 D 45 (Dark Red)	04 C 33 (Pink)	COMPLETION FLUID
IDEG100-MB	IDEG150-MB	MB	04 D 45 (Dark Red)	18 E 53 (Cobalt Blue)	MUD BULK
IDEG100-MD	IDEG150-MD	MD	04 D 45 (Dark Red)	10 E 53 (Yellow)	MUD DIVERT
IDEG100-MH	IDEG150-MH	МН	04 D 45 (Dark Red)	16 E 53 (Blue Green)	MUD HP
IDEG100-MK	IDEG150-MK	MK	04 D 45 (Dark Red)	06 E 51 (Orange)	MUD KILL
IDEG100-ML	IDEG150-ML	ML	04 D 45 (Dark Red)	00 A 09 (Grey)	MUD LP
IDEG100-OB	IDEG150-OB	OB	06 C 39 (Brown)	10 E 53 (Yellow)	BASE OIL
IDEG100-SH	IDEG150-SH	SH	04 D 45 (Dark Red)	00 E 53 (Black)	SLURRY CRI HP
IDEG100-SL	IDEG150-SL	SL	04 D 45 (Dark Red)	10 C 31 (Cream)	SLURRY CRI LP
IDEG100-SS	IDEG150-SS	SS	04 D 45 (Dark Red)	20 E 51 (Light Blue)	SLURRY SALT
IDEG100-WD	IDEG150-WD	WD	12 D 45 (Green)	06 C 39 (Brown)	DRILLWATER

U.K. Office +44 (0)141 941 3689 sales@expresselectrical.co.uk

Chemicals

pipework identification tape colour schedule and ordering information



Part Number 100mm	Part Number 150mm		Outer Band (BS4800 Colour)	Inner Band (BS4800 Colour)	Tape Layout
IDEG100-CA	IDEG150-CA	CA	22 C 37 (Violet)	18 E 53 (Cobalt Blue)	METHANOL
IDEG100-CB	IDEG150-CB	СВ	22 C 37 (Violet)	04 D 45 (Dark Red)	CHEMICAL ACID
IDEG100-CC	IDEG150-CC	СС	22 C 37 (Violet)	16 E 53 (Blue Green)	CHEMICAL CATALYST
IDEG100-CD	IDEG150-CD	CD	22 C 37 (Violet)	10 A 03 (Silver)	CHEMICAL CAUSTIC
IDEG100-CF	IDEG150-CF	CF	22 C 37 (Violet)	20 E 51 (Light Blue)	AQUEOUS FILM FORMING FLUID
IDEG100-CG	IDEG150-CG	CG	22 C 37 (Violet)	00 E 53 (Black)	GLYCOL (TEG)
IDEG100-CH	IDEG150-CH	СН	22 C 37 (Violet)	06 E 51 (Orange)	WAX INHIBITOR
IDEG100-CI	IDEG150-CI	CI	22 C 37 (Violet)	00 E 55 (White)	CORROSION INHIBITOR
IDEG100-CJ	IDEG150-CJ	CJ	22 C 37 (Violet)	10 C 31 (Cream)	ANTI-FOAM
IDEG100-CK	IDEG150-CK	СК	22 C 37 (Violet)	10 E 53 (Yellow)	EMULSION BREAKER
IDEG100-CL	IDEG150-CL	CL	22 C 37 (Violet)	04 D 45 (Dark Red)	BIOCIDE
IDEG100-CM	IDEG150-CM	СМ	22 C 37 (Violet)	12 D 45 (Green)	SCALE INHIBITOR
IDEG100-CN	IDEG150-CN	CN	22 C 37 (Violet)	00 E 53 (Black)	GLYCOL (MEG)
IDEG100-CO	IDEG150-CO	со	22 C 37 (Violet)	14 C 39 (Dark Green)	OXYGEN SCAVENGER
IDEG100-CR	IDEG150-CR	CR	22 C 37 (Violet)	06 C 39 (Brown)	REVERSE EMULSION BREAKER
IDEG100-CS	IDEG150-CS	CS	22 C 37 (Violet)	04 E 53 (Red)	SODIUM HYPOCHLORITE
IDEG100-CW	IDEG150-CW	CW	22 C 37 (Violet)	04 C 33 (Pink)	RICH GLYCOL / WATER TO REGEN

www.expresselectrical.co.uk

Drains


pipework identification tape colour schedule and ordering information



Part Number 100mm	Part Number 150mm	Service Code	Outer Band (BS4800 Colour)	Inner Band (BS4800 Colour)	Tape Layout
IDEG100-DC	IDEG150-DC	DC	00 E 53 (Black)	04 E 53 (Red)	OPEN CONTAMINATED DRAINS
IDEG100-DG	IDEG150-DG	DG	00 E 53 (Black)	22 C 37 (Violet)	DRAIN GLYCOL
IDEG100-DH	IDEG150-DH	DH	00 E 53 (Black)	04 C 33 (Pink)	HAZARDOUS OPEN DRAINS
IDEG100-DM	IDEG150-DM	DM	00 E 53 (Black)	10 E 53 (Yellow)	MUD DRAINS
IDEG100-DO	IDEG150-DO	DO	00 E 53 (Black)	12 D 45 (Green)	NON-HAZARDOUS OPEN DRAINS
IDEG100-DS	IDEG150-DS	DS	00 E 53 (Black)	06 C 39 (Brown)	SANITARY BLACK WATER DRAINS
IDEG100-DW	IDEG150-DW	DW	00 E 53 (Black)	18 E 53 (Cobalt Blue)	OPEN NON-CONTAMINATED DRAINS
IDEG100-DX	IDEG150-DX	DX	00 E 53 (Black)	00 E 55 (White)	CLOSED DRAINS (OFFSHORE)
IDEG100-DX-ON	IDEG150-DX-ON	DX-ON	00 E 53 (Black)	04 E 53 (Red)	CLOSED DRAINS (ONSHORE)

Process

pipework identification tape colour schedule and ordering information



U.K. Office +44 (0)141 941 3689 sales@expresselectrical.co.uk U.A.E. Office +971 (0)4 887 5570 info@expresselectrical.ae

Relief Systems

pipework identification tape colour schedule and ordering information



STEAW

MAAT

AIA TNAJ9

PI ANT A

AIA TNA.

Part Number 100mm	Part Number 150mm	Service Code	Outer Band (BS4800 Colour)	Inner Band (BS4800 Colour)	Tape La
IDEG100-VA	IDEG150-VA	VA	10 E 53 (Yellow)	10 A 03 (Silver)	[
IDEG100-VH	IDEG150-VH	VH	10 E 53 (Yellow)	12 D 45 (Green)	[
IDEG100-VL	IDEG150-VL	VL	10 E 53 (Yellow)	04 C 33 (Pink)	[

ATMOSPHERIC VENTS HIGH PRESSURE VENTS LOW PRESSURE VENTS




pipework identification tape colour schedule and ordering information

Part Number 100mm	Part Number 150mm	Service Code	Outer Band (BS4800 Colour)	Inner Band (BS4800 Colour)	Tape Layout
IDEG100-GF	IDEG150-GF	GF	10 E 53 (Yellow)	00 E 55 (White)	FUEL GAS (OFFSHORE)
IDEG100-GF-ON	IDEG150-GF-ON	GF-ON	16 E 53 (Blue Green)	00 A 09 (Grey)	FUEL GAS (ONSHORE)
IDEG100-GI	IDEG150-GI	GI	16 E 53 (Blue Green)	00 E 55 (White)	NITROGEN / INERT GAS
IDEG100-GO	IDEG150-GO	GO	10 E 53 (Yellow)	04 D 45 (Dark Red)	CO2 GAS
IDEG100-OF	IDEG150-OF	OF	06 C 39 (Brown)	00 E 55 (White)	DIESEL FUEL
IDEG100-OH	IDEG150-OH	ОН	06 C 39 (Brown)	12 D 45 (Green)	HYDRAULIC FLUID
IDEG100-SU	IDEG150-SU	SU	10 A 03 (Silver)	18 E 53 (Cobalt Blue)	STEAM

Air

pipework identification tape colour schedule and ordering information

Part Number Part Number Service **Outer Band** Inner Band 100mm 150mm Code (BS4800) (BS4800) 20 E 51 00 E 55 IDEG100-AB IDEG150-AB AB (Light Blue) (White) 20 E 51 06 C 39 **IDEG100-AC IDEG150-AC** AC (Light Blue) (Brown) 20 E 51 12 D 45 **IDEG100-AI IDEG150-AI** AI (Light Blue) (Green) 20 E 51 00 A 09 **IDEG100-AP IDEG150-AP** AP (Light Blue) (Grey)



HIA a

www.expresselectrical.co.uk

Water

pipework identification tape colour schedule and ordering information



Part Number 100mm	Part Number 150mm	Service Code	Outer Band (BS4800 Colour)	Inner Band (BS4800 Colour)	Tape Layout
IDEG100-WC	IDEG150-WC	WC	12 D 45 (Green)	00 E 55 (White)	COOLING (WATER/GLYCOL) MEDIUM ONSHORE
IDEG100-WC-OFF	IDEG150-WC-OFF	WC-OFF	12 D 45 (Green)	04 D 45 (Dark Red)	COOLING (WATER/GLYCOL) MEDIUM OFFSHORE
IDEG100-WF	IDEG150-WF	WF	04 E 53 (Red)	04 E 53 (Red)	FIREWATER
IDEG100-WI	IDEG150-WI	WI	14 C 39 (Dark Green)	10 E 53 (Yellow)	WATER (SEA) INJECTION
IDEG100-WJ	IDEG150-WJ	WJ	12 D 45 (Green)	06 C 39 (Brown)	WATER (SEA) JET
IDEG100-WP	IDEG150-WP	WP	12 D 45 (Green)	18 E 53 (Cobalt Blue)	POTABLE WATER
IDEG100-WS	IDEG150-WS	WS	12 D 45 (Green)	22 C 37 (Violet)	SEAWATER

Miscellaneous

pipework identification tape colour schedule and ordering information

Part Number 100mm	Part Number 150mm	Service Code	Outer Band (BS4800 Colour)	Inner Band (BS4800 Colour)	Tape Layout
IDEG100-OR	IDEG150-OR	OR	06 C 39 (Brown)	06 E 51 (Orange)	RECOVERED OIL
IDEG100-HG	IDEG150-HG	HG	22 C 37 (Violet)	20 D 45 (Dark Blue)	HEATING MEDIUM (GLYCOL)
IDEG100-HO	IDEG150-HO	НО	06 C 39 (Brown)	18 E 53 (Cobalt Blue)	HEATING MEDIUM (HOT OIL)
IDEG100-HW	IDEG150-HW	HW	12 D 45 (Green)	04 E 53 (Red)	HEATING MEDIUM (HOT WATER)
IDEG100-PR	IDEG150-PR	PR	10 E 53 (Yellow)	06 E 51 (Orange)	PROPANE REFRIGERANT

U.K. Office +44 (0)141 941 3689 sales@expresselectrical.co.uk

U.A.E. Office +971 (0)4 887 5570 info@expresselectrical.ae



Express Electrical stock and distribute for many industry leading brands, with thousands of products now available to view and purchase online. If it's not online, contact us and we shall source the product for you.



Contact us

UK office Express Electrical & Engineering Supplies Ltd 37 Cable Depot Road Riverside Industrial Estate Clydebank, UK G81 1UY

Tel: +44 (0)141 941 3689 sales@expresselectrical.co.uk









Delivering cable accessories worldwide

The information and data contained within this catalogue is believed to be accurate and reliable. Although the information and recommendations set forth herein are presented in good faith and believed to be correct as of the date of printing, Express Electrical makes no representations as to the completeness or accuracy thereof. We place at your disposal the technical information necessary for the correct use of our products. As conditions and methods of use are beyond our control, that the person receiving the same will make their own determination as to the suitability for use. We reserve the right to modify characteristics with the aim of improving the product and adapting it to the requirements of the market.