

PXE™ SERIES

Mobile Printers



Full-Feature Solutions and Industrial Grade Capability



PANDUIT™

EPSON


PORTABLE LABELING SOLUTION PARTNERS

Panduit™ PXE Mobile Solutions deliver high quality products that help you do your job smarter, faster and easier.

These solutions combine Epson's world-class printing technology with Panduit's industry-leading performance and field-tested durability. This full line of Electrical and Network label printers provides the solution that's best for you, from on-site smaller jobs to on-demand high volume label printing projects.



FEATURES				
PART NUMBER	MP75	MP100	MP200	MP300
Automatic Cutter		✓	✓	✓
Half-Cut Feature			✓	✓
PC Interface and Printing for Easy-Mark Plus™ Software		✓	✓	✓
Bluetooth/Wi-Fi/Mobile App Compatible		✓		
Maximum Continuous Label Media Width	0.75 in.	1.0 in.	1.0 in.	1.5 in.
Print Speed	0.25 lps	0.6 lps	1.2 lps	1.4 lps
Weight	0.9 lbs.	1.3 lbs.	2.4 lbs.	2.7 lbs.
Size	4.4 in. W x 2.8 in. H x 6.7 in. L	2.36 in. W x 5.9 in. H x 5.4 in. L	5.4 in. W x 3.5 in. H x 11.6 in. L	5.4 in. W x 3.8 in. H x 11.6 in. L
Print Resolution	180 dpi	180 dpi	180 dpi	360 dpi
LABEL TYPES				
Continuous Vinyl & Polyester Tapes	✓	✓	✓	✓
Continuous Heat Shrink Tubing	✓	✓	✓	✓
Continuous Self-Laminating Labels		✓	✓	✓
Continuous Magnetic Tape		✓	✓	✓
Die-Cut Self-Laminating Labels				✓
Die-Cut Component Labels				✓
Turn-Tell™ Labels				✓



Ordering Information - Self Laminating Labels



Die-Cut Self Laminating Label Cassettes

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- Self-laminating adhesive labels for wire/cable identification include a white print-on area and clear overlamine



Self-Laminating Vinyl
(VA)



-40°F to 150°F
(-40°C to 66°C)

Part Number	Description	Quantity of Labels Per Cassette	Printer Compatibility				Print-on Area Color	Width		Length		Print-on Area Height		Min. Cable O.D.		Max. Cable O.D.		Wire/Cable Size Range	Std. Pkg. Qty.	Std. Ctn. Qty.
			MP 75	MP 100	MP 200	MP 300		In.	mm	Ft.	m	In.	mm	In.	mm	In.	mm			
S050X075VAM	MP Cassette, Self-Laminating Label, Vinyl, .50" W x .75" H, .25" Print On Area, Clear/White.	425								0.75	19.1	0.25	6.4	0.08	2.0	0.16	4.0	Cat. 6 28 AWG/ 18 - 14 AWG		
S050X125VAM	MP Cassette, Self-Laminating Label, Vinyl, .50" W x 1.25" H, .38" Print On Area, Clear/White.	200						0.5	12.7	1.25	31.8	0.38	9.7	0.12	3.1	0.28	7.0	Cat. 3 UTP/ 12 - 10 AWG		
S050X150VAM	MP Cassette, Self-Laminating Label, Vinyl, .50" W x 1.50" H, .50" Print On Area, Clear/White.	175								1.5	38.1	0.50	12.7	0.16	4.0	0.32	8.1	Cat. 5e UTP/Cat. 6 UTP/Cat. 6A UTP/Cat. 5e FTP/ 10 - 6 AWG		
S100X075VAM	MP Cassette, Self-Laminating Label, Vinyl, 1.0" W x .75" H, .25" Print On Area, Clear/White.	300								0.75	19.1	0.25	6.4	0.08	2.0	0.16	4.0	Cat. 6 28 AWG/ 18 - 14 AWG		
S100X125VAM	MP Cassette, Self-Laminating Label, Vinyl, 1.0" W x 1.25" H, .38" Print On Area, Clear/White.	200	N	N	N	Y	Black on White			1.25	31.8	0.38	9.7	0.12	3.1	0.28	7.0	Cat. 3 UTP/ 12 - 10 AWG	1	5
S100X150VAM	MP Cassette, Self-Laminating Label, Vinyl, 1.0" W x 1.50" H, .50" Print On Area, Clear/White.	175								1.5	38.1	0.50	12.7	0.16	4.0	0.32	8.1	Cat. 5e UTP/Cat. 6 UTP/Cat. 6A UTP/Cat. 5e FTP/ 10 - 6 AWG		
S100X225VAM	MP Cassette, Self-Laminating Label, Vinyl, 1.0" W x 2.25" H, .75" Print On Area, Clear/White.	125						1.0	25.4	2.25	57.2	0.75	19.1	0.24	6.1	0.48	12.2	Cat. 6 FTP/Cat. 6A UTP/Cat. 6A FTP/8 - 4 AWG		
S100X400VAM	MP Cassette, Self-Laminating Label, Vinyl, 1.0" W x 4.0" H, 1.0" Print On Area, Clear/White.	70								4.0	101.6	1.0	25.4	0.32	8.1	0.95	24.3	2 - 1 AWG		
S100X650VAM	MP Cassette, Self-Laminating Label, Vinyl, 1.0" W x 6.50" H, 1.5" Print On Area, Clear/White.	45								6.5	165.1	1.5	38.1	0.48	12.2	1.59	40.4	1/0-250 MCM		

Representative offering only, visit www.panduit.com for complete listing of products.



Continuous Self-Laminating Labels

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- Self-laminating adhesive labels for wire/cable identification include a white print-on area and clear over-lamine



Self-Laminating Vinyl
(VA)



-40°F to 150°F
(-40°C to 66°C)

Part Number	Description	Printer Compatibility				Print-On Area Color	Width		Length		Print-On Area Width		Min. Cable O.D.		Max. Cable O.D.		Wire/Cable Size Range	Std. Pkg. Qty.	Std. Ctn. Qty.
		MP75	MP100	MP200	MP300		In.	mm	Ft.	m	In.	mm	In.	mm	In.	mm			
S000X100VAM	MP Cassette, Continuous Self-Lam Tape, Vinyl, 1.0" W x 26" L, White	N	Y	Y	Y	White	0.945	24	26.2	8.0	0.315	8	0.10	2.5	0.20	5.1	12 - 10 AWG	1	5
S000X150VAM	MP Cassette, Continuous Self-Lam Tape, Vinyl, 1.5" W x 26" L, White	N	N	N	Y	White	1.417	36	26.2	8.0	0.512	13.0	0.16	4.0	0.32	8.1	Cat. 5e/ Cat. 6	1	5

Representative offering only, visit www.panduit.com for complete listing of products.



Ordering Information - Turn-Tell



Turn-Tell® Label Cassettes **PATENTED**

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- Innovative label design allows labels to rotate for visibility from any angle, and for repositioning on the wire/cable to align legends and improve aesthetics
- Labels can be easily installed on existing terminated wires and assemblies without disconnecting the wires/cables



Polymer Film
(V1)




-40°F to 200°F
(-40°C to 93°C)

Part Number	Description	Labels per Cassette	Printer Compatibility				Print-On Area Color	Width		Length		Min. Cable O.D.		Max. Cable O.D.		Wire/Cable Size Range	Std. Pkg. Qty.	Std. Ctn. Qty.
			MP75	MP100	MP200	MP300		In.	mm	In.	mm	In.	mm	In.	mm			
R100X075V1M	MP Cassette, Turn-Tell Self-Lam Label, Vinyl, 1.0" W x .75" H, .25" Print On Area, Clear/White	175	N	N	N	Y	Black on White	1.0	25.4	0.75	19.1	0.12	3.1	0.16	4.1	Cat. 6 28 AWG/ 18 – 14 AWG	1	5
R100X125V1M	MP Cassette, Turn-Tell Self-Lam Label, Vinyl, 1.0" W x 1.25" H, .38" Print On Area, Clear/White	125								1.25	31.8	0.16	4.1	0.22	5.6	Cat. 3 UTP/12 – 10 AWG		
R100X150V1M	MP Cassette, Turn-Tell Self-Lam Label, Vinyl, 1.0" W x 1.50" H, .50" Print On Area, Clear/White	100								1.5	38.1	0.22	5.6	0.28	7.1	Cat. 5e UTP/ Cat. 6 UTP/ Cat. 6A UTP/		
R100X225V1M	MP Cassette, Turn-Tell Self-Lam Label, Vinyl, 1.0" W x 2.25" H, .75" Print On Area, Clear/White	75								2.25	57.2	0.28	7.1	0.39	9.9	Cat. 6 FTP/Cat. 6 UTP/Cat. 6A FTP/8-4 AWG		

Representative offering only, visit www.panduit.com for complete listing of products.



Ordering Information



Continuous Tape Cassettes

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- Print custom pipe markers, voltage markers, signs, bin markers, and network ID labels on demand
- For flat label applications only


 Vinyl Material (VXM & VPM)

 Polyester Material
(BPM, BQM, BSM, BUM, BWM, BXM, BYM, YKM)

 Magnetic Material (MPM & MXM)

 -40°F to 194°F (-40°C to 90°C)

 -40°F to 257°F (-40°C to 125°C)


 14°F to 104°F (-10°C to 40°C)

Part Number	Part Description	Printer Compatibility				Ribbon & Material Color	Width		Length		Std. Pkg. Qty.	Std. Ctn. Qty.
		MP75	MP100	MP200	MP300		In.	mm	Ft.	m		
T024X000BPM-BK	MP Cassette, Continuous Tape, Polyester, 0.24" W x 30' L, Black on White	Y				Black on White	0.229	5.8	30	9.1	1	5
T038X000VPM-BK	MP Cassette, Continuous Tape, Vinyl, 0.38" W x 23' L, Black on White.					Black on White	0.354	9.0	23	7.0		
T038X000BPM-BK	MP Cassette, Continuous Tape, Polyester, 0.38" W x 30' L, Black on White					Black on White			30	9.1		
T038X000VXM-BK	MP Cassette, Continuous Tape, Vinyl, 0.38" W x 23' L, Black on Yellow.					Black on Yellow			23	7.0		
T038X000BXM-BK	MP Cassette, Continuous Tape, Polyester, 0.38" W x 30' L, Black on Yellow.					Black on Yellow			30	9.1		
T038X000YKM-BK	MP Cassette, Continuous Tape, Polyester, 0.38" W x 30' L, Black on Clear.					Black on Clear			30	9.1		
T038X000BYM-WH	MP Cassette, Continuous Tape, Polyester, 0.38" W x 30' L, White on Black.					White on Black						
T050X000VPM-BK	MP Cassette, Continuous Tape, Vinyl, 0.50" W x 23' L, Black on White.					Black on White	0.472	12.0	23	7.0		
T050X000BPM-BK	MP Cassette, Continuous Tape, Polyester, 0.50" W x 30' L, Black on White.					Black on White			30	9.1		
T050X000VXM-BK	MP Cassette, Continuous Tape, Vinyl, 0.50" W x 23' L, Black on Yellow.					Black on Yellow			23	7.0		
T050X000BXM-BK	MP Cassette, Continuous Tape, Polyester, 0.50" W x 30' L, Black on Yellow.					Black on Yellow						
T050X000YKM-BK	MP Cassette, Continuous Tape, Polyester, 0.50" W x 30' L, Black on Clear.					Black on Clear			30	9.1		
T050X000BYM-WH	MP Cassette, Continuous Tape, Polyester, 0.50" W x 30' L, White on Black.					White on Black						
T075X000VPM-BK	MP Cassette, Continuous Tape, Vinyl, 0.75" W x 23' L, Black on White.					Black on White	0.710	18.0	23	7.0		
T075X000BPM-BK	MP Cassette, Continuous Tape, Polyester, 0.75" W x 30' L, Black on White."					Black on White			30	9.1		
T075X000VXM-BK	MP Cassette, Continuous Tape, Vinyl, 0.75" W x 23' L, Black on Yellow.					Black on Yellow			23	7.0		
T075X000BXM-BK	MP Cassette, Continuous Tape, Polyester, 0.75" W x 30' L, Black on Yellow.					Black on Yellow						
T075X000YKM-BK	MP Cassette, Continuous Tape, Polyester, 0.75" W x 30' L, Black on Clear.					Black on Clear			30	9.1		
T075X000BYM-WH	MP Cassette, Continuous Tape, Polyester, 0.75" W x 30' L, White on Black.					White on Black						
T100X000MPM-BK	MP Cassette, Continuous Tape, Magnetic, 1.00" W x 4.9' L, Black on White.	N				Black on White	0.945	24.0	4.9	1.5		
T100X000MXM-BK	MP Cassette, Continuous Tape, Magnetic, 1.00" W x 4.9' L, Black on Yellow.					Black on Yellow						
T100X000VPM-BK	MP Cassette, Continuous Tape, Vinyl, 1.00" W x 23' L, Black on White.					Black on White			23	7.0		
T100X000BPM-BK	MP Cassette, Continuous Tape, Polyester, 1.00" W x 30' L, Black on White.					Black on White			30	9.1		
T100X000VXM-BK	MP Cassette, Continuous Tape, Vinyl, 1.00" W x 23' L, Black on Yellow.					Black on Yellow			23	7.0		
T100X000BXM-BK	MP Cassette, Continuous Tape, Polyester, 1.00" W x 30' L, Black on Yellow.					Black on Yellow						
T100X000YKM-BK	MP Cassette, Continuous Tape, Polyester, 1.00" W x 30' L, Black on Clear.					Black on Clear						
T100X000BQM-WH	MP Cassette, Continuous Tape, Polyester, 1.00" W x 30' L, White on Blue.					White on Blue			30	9.1		
T100X000BSM-WH	MP Cassette, Continuous Tape, Polyester, 1.00" W x 30' L, White on Green.					White on Green						
T100X000BUM-BK	MP Cassette, Continuous Tape, Polyester, 1.00" W x 30' L, Black on Orange.					Black on Orange						
T100X000BWM-WH	MP Cassette, Continuous Tape, Polyester, 1.00" W x 30' L, White on Red.					White on Red						
T100X000BYM-WH	MP Cassette, Continuous Tape, Polyester, 1.00" W x 30' L, White on Black.					White on Black						

Representative offering only, visit www.panduit.com for complete listing of products.



Ordering Information (Continued)



Continuous Tape Cassettes

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- Print custom pipe markers, voltage markers, signs, bin markers, and network ID labels on demand
- For flat label applications only

Part Number	Part Description	Printer Compatibility				Ribbon & Material Color	Width		Length		Std. Pkg. Qty.	Std. Ctn. Qty.
		MP75	MP100	MP200	MP300		In.	mm	Ft.	m		
T150X000MPM-BK	MP Cassette, Continuous Tape, Magnetic, 1.50" W x 4.9' L, Black on White.	N	N	N	Y	Black on White	1.471	36.0	4.9	1.5	1	5
T150X000MXM-BK	MP Cassette, Continuous Tape, Magnetic, 1.50" W x 4.9' L, Black on Yellow.					Black on Yellow			23	7.0		
T150X000VPM-BK	MP Cassette, Continuous Tape, Vinyl, 1.50" W x 23' L, Black on White.					Black on White			30	9.1		
T150X000BPM-BK	MP Cassette, Continuous Tape, Polyester, 1.50" W x 30' L, Black on White.					Black on Yellow			23	7.0		
T150X000VXM-BK	MP Cassette, Continuous Tape, Vinyl, 1.50" W x 23' L, Black on Yellow.					Black on Yellow						
T150X000BXM-BK	MP Cassette, Continuous Tape, Polyester, 1.50" W x 30' L, Black on Yellow.					Black on Clear						
T150X000YKM-BK	MP Cassette, Continuous Tape, Polyester, 1.50" W x 30' L, Black on Clear.					White on Blue						
T150X000BQM-WH	MP Cassette, Continuous Tape, Polyester, 1.50" W x 30' L, White on Blue.					White on Green			30	9.1		
T150X000BSM-WH	MP Cassette, Continuous Tape, Polyester, 1.50" W x 30' L, White on Green.					Black on Orange						
T150X000BUM-BK	MP Cassette, Continuous Tape, Polyester, 1.50" W x 30' L, Black on Orange.					White on Red						
T150X000BWM-WH	MP Cassette, Continuous Tape, Polyester, 1.50" W x 30' L, White on Red.					White on Black						
T150X000BYM-WH	MP Cassette, Continuous Tape, Polyester, 1.50" W x 30' L, White on Black.											

Representative offering only, visit www.panduit.com for complete listing of products.



Ordering Information



Continuous Heat Shrink Labels

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- Non-adhesive flattened heat shrinkable polyolefin for wire/cable identification



Heat Shrinkable Polyolefin
3:1 Heat Shrink Ratio (H1, H2)




Heat Shrinkable Polyolefin
2:1 Heat Shrink Ratio (HP, HX)

-40°F to 257°F
(-40°C to 125°C)

-67°F to 257°F
(-55°C to 125°C)

Part Number	Description	Shrink Ratio	Mil Spec	Printer Compatibility				Ribbon & Material Color	Width		Length		Min. Cable O.D.		Max. Cable O.D.		Wire/ Cable Size Range	Std. Pkg. Qty.	Std. Ctn. Qty.						
				MP75	MP100	MP200	MP300		In.	mm	Ft.	m	In.	mm	In.	mm									
H000X025H1M	MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .25" W x 8' L, White	3:1	Y	Y				Black on White	0.27	6.8			0.06	1.4	0.16	4.1	22 - 18 AWG	1	5						
H000X025H2M	MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .25" W x 8' L, Yellow							Black on Yellow																	
H000X034H1M	MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .34" W x 8' L, White							Black on White	0.37	9.3			0.07	1.9	0.22	5.7	18 - 12 AWG								
H000X034H2M	MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .34" W x 8' L, Yellow																			Black on Yellow					
H000X044H1M	MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .44" W x 8' L, White							Y	Y	Y			Black on White	0.48	12.3		0.09			2.4	0.3	7.6	16 - 8 AWG		
H000X044H2M	MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .44" W x 8' L, Yellow												Black on Yellow												
H000X064HPM	MP Cassette, 2:1 Continuous Heat Shrink Tubing, Polyolefin, .64" W x 8' L, White	2:1	N	N	Black on White	0.71	18.0		0.21		5.3	0.43	10.9	8 - 2 AWG											
H000X064HXM	MP Cassette, 2:1 Continuous Heat Shrink Tubing, Polyolefin, .64" W x 8' L, Yellow				Black on Yellow																				
H000X084HPM	MP Cassette, 2:1 Continuous Heat Shrink Tubing, Polyolefin, .84" W x 8' L, White				Black on White	0.87	22.5		0.32		8.1	0.54	13.7	4 - 1 AWG											
H000X084HXM	MP Cassette, 2:1 Continuous Heat Shrink Tubing, Polyolefin, .84" W x 8' L, Yellow				Black on Yellow																				
H000X134HPM	MP Cassette, 2:1 Continuous Heat Shrink Tubing, Polyolefin, 1.34" W x 8' L, White				N	N		Black on White	1.34		34.0		0.43	10.9	0.79	20.1	1 - 250 MCM AWG								
H000X134HXM	MP Cassette, 2:1 Continuous Heat Shrink Tubing, Polyolefin, 1.34" W x 8' L, Yellow							Black on Yellow																	

Representative offering only, visit www.panduit.com for complete listing of products.



Ordering Information



Marker Plate Label Cassettes

- Fast-loading PXE™ Label Cassette includes both label material and ribbon to make changing labels easy
- Non-adhesive and halogen free; used to identify wires, cables, equipment, and many other applications
- Designed for use on larger diameter wire/cables and may be applied after all terminations are complete
- Attachable in horizontal or vertical orientation.
- Meets requirements for MIL-STD-202G, Method 215K, Soultion A, C and D
- Meets the outgassing requirements of ASTM E-595 suitable for use in air handling spaces.




Polyester/Polyolefin
(Y6, Y7)



-40°F to 180°F
(-40°C to 82°C)

Part Number	Description	Printer Compatibility				Print-On Area Color	Width		Length		Print-On Area Width		Recommended Cable Tie		Labels Per Cassette	Std. Pkg. Qty.	Std. Ctn. Qty.
		MP75	MP100	MP200	MP300		In.	mm	In.	mm	In.	mm	Vertical	Horizontal			
M300X050Y6M	PXE Cassette, Marker plate, polyester, 3.0" W x .50" H, Yellow	N	N	N	Y	Black on Yellow	3.00	76.2	0.50	12.7	1.80	45.7	PLT2.5I-C	PLT2.5I-C	65	1	5
M300X050Y7M	PXE Cassette, Marker plate, polyester, 3.0" W x .50" H, White	N	N	N	Y	Black on White	3.00	76.2	0.50	12.7	1.80	45.7	PLT2.5I-C	PLT2.5I-C	65	1	5

Representative offering only, visit www.panduit.com for complete listing of products.



Ordering Information



Non-Laminated Label Cassettes

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- Non-laminated adhesive labels for wire/cable identification



Nylon Cloth
(C1M)



-65°F to 275°F
(-54°C to 135°C)

Die-Cut Nylon Cloth Labels

Part Number	Description	Printer Compatibility				Print-On Area Color	Width		Length		Min. Cable O.D.		Max. Wire O.D.		Wire Range	Labels Per Cassette	Std. Pkg. Qty.	Std. Ctn. Qty.
		MP75	MP100	MP200	MP300		In.	mm	In.	mm	In.	mm	In.	mm				
N050X075C1M	PXE Cassette, Comp Label, Adhesive Nylon Cloth, 0.50" W x .75" H, White	N	N	N	Y	Black on White	0.50	12.7	0.75	19.1	0.12	3.1	0.16	4.1	12 - 10 AWG	275	1	5
N100X075C1M	PXE Cassette, Comp Label, Adhesive Nylon Cloth, 1.00" W x .75" H, White						1.00	25.4										
N100X125C1M	PXE Cassette, Comp Label, Adhesive Nylon Cloth, 1.00" W x 1.25" H, White						1.25	31.8	0.2	5.1	0.32	8.1	10 - 6 AWG	180				

Continuous Nylon Cloth Tape

Part Number	Description	Printer Compatibility				Print-On Area Color	Height		Length		Std. Pkg. Qty.	Std. Ctn. Qty.
		MP75	MP100	MP200	MP300		In.	mm	Ft.	m		
T050X000C1M-BK	MP Cassette, Continuous Tape, Nylon Cloth, 0.50" W x 19' L, Black on White	Y	N	Y	Y	Black on White	0.465	11.82	19	6	1	5
T075X000C1M-BK	MP Cassette, Continuous Tape, Nylon Cloth, 0.75" W x 19' L, Black on White						0.702	17.82				
T100X000C1M-BK	MP Cassette, Continuous Tape, Nylon Cloth, 1.00" W x 19' L, Black on White	N					0.938	23.82				

Ordering Information



Non-Adhesive Polyester Component Labels

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- Die-cut labels designed to provide maximum aesthetic quality and appearance
- Use for identifying patch panel, faceplates, punchdown blocks, and other network system hardware



Non-Adhesive Polyester
(Y1)



-10°F to 311°F
(-23°C to 155°C)

Part Number	Description	Labels per Cassette	Printer Compatibility				Color	Width		Height		Application	Std. Pkg. Qty.	Std. Ctn. Qty.
			MP75	MP100	MP200	MP300		In.	mm	In.	mm			
C195X040Y1M	MP Cassette, Comp Label, Non-Adhesive Polyester, 1.95" W x .40" H, White	125	N	N	N	Y	White	1.95	49.5	0.4	10.2	Single-gang faceplate	1	5
C261X035Y1M	MP Cassette, Comp Label, Non-Adhesive Polyester, 2.61" W x .35" H, White	100						2.61	66.3	0.35	8.9	4-port		

Representative offering only, visit www.panduit.com for complete listing of products.



Continuous Terminal Block Label Cassettes

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- Print terminal block labels ranging in size from 0.24 inches to 0.38 inches



Polyolefin
(FJM)



-40°F to 180°F
(-40°C to 82°C)

Part Number	Description	Printer Compatibility				Print-On Area Color	Height		Length		Std. Pkg. Qty.	Std. Ctn. Qty.
		MP75	MP100	MP200	MP300		In.	mm	Ft.	m		
T024X000FJM-BK	MP Cassette, Continuous Tape, Polyolefin, 0.24" W x 23' L, Black on White	Y	Y	Y	Y	Black on White	0.229	5.82	23	7	1	5
T038X000FJM-BK	MP Cassette, Continuous Tape, Polyolefin, 0.38" W x 23' L, Black on White						0.347	8.82				

Representative offering only, visit www.panduit.com for complete listing of products.

Entry-Level Mobile Printer Comparison



FEATURES	MP75	BMP21-PLUS	PT-E110
Label Width	0.75 in.	0.75 in.	0.47 in.
Label Offering	★★★★★	★★★★★	★★★★
Cutter	Manual	Manual	Manual
Barcode, Symbols & File Storage	★★★★★	★★	★
Weight	0.9 lbs.	1.66 lbs.	0.9 lbs.

Competitive comparison based on published specifications.

Mobile Printers - Competitive Comparison



FEATURES	MP100	Brady BMP21-PLUS	Brother PT-P750W	Dymo MobileLabeler
Label Width up to 1in.	Yes	no	yes	yes
Label Offering	★★★★★	★★★★★	★★★★	★★★★
Cutter	Automatic	Manual	Automatic	Manual
Bluetooth or WiFi compatible	Yes	no	yes	yes
Prints from Mobile Apps	Yes	no	yes	yes

Competitive comparison based on published specifications.

Mid-Range Mobile Printer Comparison



FEATURES	MP200	BMP21-PLUS	PT-E300M	Rhino 4200
Label Width	1.0 in.	0.75 in.	0.7 in.	0.75 in.
Label Offering	★★★★★	★★★★★	★★★	★★★
Print Speed	1.2 lps	0.4 lps	0.8 lps	0.6 lps
Cutter	Automatic: Full and Half Cutting	Manual	Manual	Manual
Barcode, Symbols & File Storage	★★★★★	★★	★★★	★★
PC Interface and Connectivity	EasyMark Plus Labeling Software/USB	None	None	None

Competitive comparison based on published specifications.

Mobile Printers – Competitive Comparison



FEATURES	MP300	Brady BMP41	Brother PT-E550	Dymo XTL300
Label Width Up To	1.5 in.	1.0 in.	1.0 in.	1.0 in.
Label Offering	★★★★★	★★★★★	★★★	★★
Print Resolution	360 dpi	300 dpi	180 dpi	300 dpi
Print Speed	1.4 lps	1.3 lps	1.2 lps	NA
Cutter	Automatic: Full and Half Cutting	Manual	Automatic: Full Cutting	Manual

Competitive comparison based on published specifications.